



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.







PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

CASE NO. _ 621P

TYPE OF ACCIDENT Car/Pedestrian off road/ priv. Driveway

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES


(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

Vehicle 1 was attempting to exit a parking lot. The pedestrian was walking in a westerly direction crossing in front of vehicle 1. Vehicle 1 bumped the pedestrian with the front of the vehicle.

B. PEDESTRIAN PROFILE									
Pedestrian		Sex	Treatment/ Mortality	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age			Body Region	Ana. Struc.	AIS	Injury Source		
01	34	Female	Treated & Released	Left Knee	Contusion	1	License Plate		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

C. VEHICLE PROFILE								
	Class		Most Severe Damage Based on Vehicle Inspection					
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description				
01	Compact	95/ Plymouth Neon	Front	Smudges, Scratches				



U.S. Department of Transportation


National Highway Traffic Safety

ACCIDENT COLLISION DIAGRAM

ACCIDENT COLLISION E

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

1





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 90 Case Number-Stratum 6 21 P								
PEDESTRIAN ACCIDENT CO	LISION DATA C	OLLECTION		SCALED DIAGRAM				
 document reference point and reference line relative to physical features 	Surface Type	Concrete	* nor	th arrow placed on diagram				
* documentation of all accident induced physical evidence including (if applicable):	Surface Condition	, , ,		de measurements for all applicable dways				
a) vehicle skid marks	Coefficient of Frid			aled representations of the physical plant luding:				
b) pedestrian contacts with ground or object	Grade (v/h) Meas	surement	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)				
c) vehicle/pedestrian point of impact (POI)	a) at impa	ed and b	b)	all traffic controls (e.g., lights, signs)				
d) location of pedestrian separation point from vehicle f) final resting points (FRP) for pedestrian and vehicle	b) betwee final res Pedestrian Trave	I Direction Was +	peo	aled representations of the vehicle and destrian at pre-impact, impact, and final it based upon either: physical evidence, or				
a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)	Vehicle Travel Di Number of Trave	7_]		reconstructed accident dynamics				
Reference Point: Lisha Pola m/c Postin 10+		Reference Line:	0.1	L roed edge				
Item 7.7		Distance and Direction from Reference Point		Distance and Direction from Reference Line				
Box Dim		6.8		0				
Poss store scrts		10.2		- 8				
RP =		. 0		4.15				
ff to Bus stop	Beg	27.7		1.55				
1	End	29.4		1.55				
		<u>-</u>						
				•				
- on scene								
V								

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	·	

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number

2. Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)

5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use

0

7. ✓ SS16 Pedestrian Crash Data Study

1

8. SS17 Impact Fires

0

9. SS18

0

10. ____SS19 _

0

NUMBER OF EVENTS

Number of Recorded Events in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

-	PEDESTRIAN ACCIDENT EVENTS										
	Accident Event Sequence Number	Vehicle Number	General Class Of Area of Vehicle Damage		Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
	12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. <u>D</u> <u>Z</u>	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>				

CODES FOR CLASS OF VEHICLE

(00) Not	а	motor	vehicle
-----	-------	---	-------	---------

(01) Subcompact/mini (wheelbase < 254 cm)

(02) Compact (wheelbase ≥ 254 but < 265 cm)

(03) Intermediate (wheelbase ≥ 265 but < 278 cm)

(04) Full size (wheelbase ≥ 278 but < 291 cm)

(05) Largest (wheelbase ≥ 291 cm)

(09) Unknown passenger car size

(11) Compact utility vehicle

(12) Large utility vehicle (≤ 4,500 kgs GVWR)

(13) Passenger van (≤ 4,500 kgs GVWR)

(14) Other van (≤ 4,500 kgs GVWR)

(15) Pickup truck (≤ 4,500 kgs GVWR)

(18) Other truck (≤ 4,500 kgs GVWR)

(19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number	10. Pedestrian's Weight Odde actual weight to the nearest kilogram.
2. Case Number - Stratum 6 2	(999) Unknown
3. Pedestrian Number	
PEDESTRIAN'S CHARACTERISTICS	S PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	(2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skinning
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown L L inches X 2.54 = / L centimeters	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest	(00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway
code to the nearest centimeter. (999) Unknowninches X 2.54 = centimeters	(98) Other (specify):(99) Unknown 14. Pedestrian's Body (Chest) Orientation
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

DEDECTRIANCE AVOIDANCE ACTIONS	
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
_	(01) At sides
15. Pedestrian's First Avoidance Actions / 3	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
` '	(04) Hands clasped behind back
` '	
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
· · · · · · · · · · · · · · · · · · ·	
(99) Unknown	(99) Unknown
	10 Pedestrian's Log Orientation
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) 'To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	
	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
47 5 1 11 1 5 1 15 1 15 1 15 1	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at initial impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	` ·
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown
	• •
1	

OFFICIAL RECORDS		INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx)	7	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown
 (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 		26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR		Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present	7	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):
(1) Yes other drug(s) present(7) Not reported	,	(9) Unknown
(9) Unknown		27. Type Of Medical Facility
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify):	<u>0</u>	(for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized
		Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

	STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30.	. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death
	(02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31.	Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32.	. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown
	(96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
33.	Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	*=31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	
	ARE ALL APPLICABLE MEDICAL RECORDS NO []	
	UPDATE CANDIDATE?	NO[] YES[]

National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 3	68	79	8. <u>A</u>	9.02	10	11.2	12.718	13. 🗘	14. 🗸	15. <u>2</u>	Kno - _{16.} <u>2</u>	17_ 12_ 14_ 14_ 14_ 14_ 14_ 14_ 14_ 14_ 14_ 14
2nd	18. 2	19. 8	20.	21:_4	22. 0 2	-23	24	25. <u>718</u>	26	27	28	⁻ 29. <u>-</u> 2	-30. <u>-</u>
3rd	313	3 2. (E	, 33. <u>9</u>	34. <u>09</u>	l _{35.02}	36. <u>/</u>	37.	38. <u>947</u>	39. <u> </u>	40. <u> </u>	41. 🔼	42. <u>(</u>)	43. <u>Q</u>
4th	44	45	46	47	48	49	50	51	52. <u></u>	53	54	55	56
5th	57	58	59	60	61	62	63	64	65. <u> </u>	66	67	68. <u> </u>	69
6th	70	71	72	73	74	75 \	76	77	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96,	97,	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111.	112	113.	114	115	116	117	118	119	120	121
10th	122	123	124	125.	126	127	128	129	130	131	132.	133	134
											na ingi		

				PEDES	STRIA	N INJU	RY DA	ΓΑ				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	——————————————————————————————————————		——			<u></u>		_				
12th	—	_	——			_		—	—	—		<u></u>
13th		—	<u> </u>	——		_		_	_			<u>—</u>
14th	—	<u></u>				 .		<u>-</u>				<u></u>
15th	_	—	——	——	_	_		<u> </u>	—	_	—	
16th		<u></u>	 -	<u></u>		<u></u>		<u> </u>	_	—	—	
17th	<u></u>	-			_	<u> </u>		<u></u>	—		—	
18th		_						—		_		_
19th		—							—		_	
20th									_	_		
21st												
22nd												
24th												

•

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL **TYPE OF DAMAGE OFFICIAL** (1) (2) Certain Injury not from vehicle contact No damage/contact Probable (1) Autopsy records with or without hospital/ (3) Possible medical records Scratch (Scuff, Cloth Transfer, Smear) (9) Unknown Hospital/medical records other than emergency room (e.g., discharge (4)Large deformation **DIRECT/INDIRECT INJURY** (5)Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle (3) Emergency room records only (including Indirect contact injury (7)Noncontact injury (3) (7) associated X-rays or other lab reports) Noncontact injury (8) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) UNOFFICIAL Injury not from vehicle contact (5) Lay coroner report Flat-Wide (≥ 15 centimeters) (1) No residual damage Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters (6) E.M.S. personnel (3) (4) Rounded (contoured) (3) Rounded edge Interviewee Sharp edge (4) (8) Other source (specify): Other (specify): (5) Crush depth >5 to 10 centimeters (8) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic **Abbreviated Injury Scale** Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion Head Minor injury Face (06) Lumbar (2)Moderate injury (3) Neck (3)Serious injury Thorax Vessels, Nerves, Organs, Bones, Joints Severe injury Abdomen are assigned consecutive two digit numbers beginning with 02 (5) Critical injury (6) Spine (10) Amputation (6) Maximum (untreatable) (7) Upper Extremity (20) Burn Injured, unknown severity Lower Extremity (30) Crush Level of Injury Unspecified (40) Degloving Aspect (50) Injury - NFS injuries assigned are Type of Anatomic Structure (90) Trauma, other than mechanical consecutive two-digit beginning with 02. Right (2) (3) Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Bilateral Vessels To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to Central (3) Nerves Anterior Posterior Superior (5)Organs (includes muscles/ (4) (10) Concussion (6)severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury ligaments) (7) (5) Skeletal (includes joints) Inferior (6) Head - LOC (9) Unknown NFS as to lesion or severity. Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan Back Components 760 Rear (back) bumper 723 A2 pillar 809 Fuel tank 724 B pillar 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment

781 Rear trunk lid

788 Other top component (specify): __

789 Unknown top component

959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

741 Front antenna

742 A1 pillar

743 A2 pillar

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

___ Yes

unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = 1

Units of Blood Given


Units = ____


Arterial Blood Gases

Ph = __.__

PCO₂


HCO₃






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 90	OFFICIAL RECORDS
2. Case Number - Stratum 62/P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number01 VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 = kmph 10. Speed Limit
5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	(999) Unknown mph X 1.6093 =kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present
6. Vehicle Model/(specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	(8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number P 3 E 5 4 7 C 6 5 D Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	Source: PAR 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kas GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (< 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	18. Impact Speed
10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown	Nearest kmph
$\frac{02.460}{1997}$ lbs x .4536 = 1.115 kgs	(NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
16. Vehicle Cargo Weight Code weight to nearest 10 kilograms.	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph
(000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown	(9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated
, lbs X .4536 =, kgs	(1) Zone center calculation(2) Police calculation(3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): Energy From A (98) No driver present English Cally III

23.	Critical Precrash Event 73		(83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:		(specify):
	(01) Blow out or flat tire		(84) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine		roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)		(85) Pedalcyclist or other nonmotorist—unknown
	(specify):		location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		
			Object or Animal
	up) (specify):	1	(87) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)	Į.	(88) Animal approaching roadway
	(specify):	1	(89) Animal—unknown location
	(06) Traveling too fast for conditions		(90) Object in roadway
	(08) Other cause of control loss (specify):		(91) Object approaching roadway
			(92) Object—unknown location
	(09) Unknown cause of control loss		(98) Other critical precrash event (specify):
	This Vehicle Traveling		
	(10) Over the lane line on left side of travel lane		(99) Unknown
	(11) Over the lane line on right side of travel lane		
	(12) Off the edge of the road on the left side	24.	4. Attempted Avoidance Maneuver
	(13) Off the edge of the road on the right side		(00) No driver present
	(14) End departure		(01) No avoidance actions
	(15) Turning left at intersection		(O2) Braking (no lockup)
	(16) Turning right at intersection	}	(03) Braking (lockup)
	(17) Crossing over (passing through) intersection	ļ	(04) Braking (lockup unknown)
	(19) Unknown travel direction		(05) Releasing brakes
	Other Motor Vehicle In Lane		(06) Steering left
	(50) Stopped		(07) Steering right
	(51) Traveling in same direction with lower speed		(08) Braking and steering left
	(i.e., lower steady speed or decelerating)		
	(52) Traveling in same direction with higher speed		(09) Braking and steering right
	· · · · · · · · · · · · · · · · · · ·		(10) Accelerating
	(53) Traveling in opposite direction		(11) Accelerating and steering left
	(54) In crossover		(12) Accelerating and steering right
	(55) Backing		(98) Other action (specify):
	(59) Unknown travel direction of other motor vehicle		(99) Unknown
	in lane		/
	Other Motor Vehicle Encroaching Into Lane	25.	5. Precrash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction)—over left		(0) No driver present
	lane line		(1) No avoidance maneuver (2) Tracking
	(61) From adjacent lane (same direction)—over right		(3) Skidding longitudinally—rotation less than 30
	lane line		degrees
	62) From opposite direction—over left lane line		(4) Skidding laterally—clockwise rotation
	63) From opposite direction—over right lane line		(5) Skidding laterally—counterclockwise rotation
	64) From parking lane		(8) Other vehicle loss-of-control (specify):
	65) From crossing street, turning into same direction		to, other verior rees of certifier (appearry).
	66) From crossing street, across path		(9) Precrash stability unknown
(67) From crossing street, turning into opposite		(e) (iii)
	direction	26.	5. Precrash Directional Consequences of
(68) From crossing street, intended path not known		Avoidance Maneuver (Corrective Action)
	70) From driveway, turning into same direction		(0) No driver present
(71) From driveway, across path		(1) No avoidance maneuver
	72) From driveway, turning into opposite direction		(2) Vehicle stayed in travel lane where avoidance
	73) From driveway, intended path not known		maneuver was initiated
	74) From entrance to limited access highway		(3) Vehicle stayed on roadway but left travel lane
	78) Encroachment by other vehicle—details		where avoidance maneuver was initiated
,	unknown		(4) Vehicle stayed on roadway, not known if left
,	Pedestrian or Pedalcyclist, or Other Nonmotorist		travel lane where avoidance maneuver was
	80) Pedestrian in roadway		initiated
	81) Pedestrian approaching roadway		(5) Vehicle departed roadway
	82) Pedestrian—unknown location		(6) Avoidance maneuver initiated off roadway
,	OZ, i Gaestilari—urikritowii location		(9) Directional consequences unknown

		ENVIRO	NME	ENT	AL I	DATA
27	Rela	ation to Junction	4	33	Pos	idway Surface Condition /
27.		Non-junction		33.		Dry
	(1)	Interchange area			(2)	Wet
		-			(3)	Snow and slush
		-Interchange			(4)	lce
	(2)	Intersection Intersection-related				Sand, dirt or oil
		Drive, alley access related			(0)	Other (specify):Unknown
		Other non-interchange (specify):			(0)	O'IRIOWII
						_
	(6)	Unknown type of non-interchange		34.		ffic Control Device
	(9)	Unknown if interchange				No traffic control(s) Trafficway traffic control signal (not RR
			,		(1)	crossing)
28.	Traf	ficway Flow				5.555g,
		Not physically divided (two way traffic)			Reg	ulatory or School Zone Sign (Not RR Crossing)
	(2)	Divided trafficway - median strip without			(2)	Stop sign
	(3)	positive barrier Divided trafficway - median strip with			(3) (4)	Yield sign School zone sign
	(0)	positive barrier			(5)	Other sign (specify):
		One way trafficway				
	(9)	Unknown				Unknown sign
					(7) (8)	Warning sign (not RR crossing) Miscellaneous/other controls including RR
29.	Nun	nber of Travel Lanes	2	l	(0)	controls (specify):
		One				controls (opcomy).
	(2)	Two			(9)	Unknown
	(3)	Three				
·		Four Five		35	Traf	fic Control Device Functioning
	(6)	Six		33.		No traffic control
	(7)	Seven or more				Not Functioning
	(9)	Unknown				Functioning
		•			(9)	Unknown
30.	Roa	dway Alignment	/			
	(1)	Straight		36.	Ligh	t Conditions /
	(2)	Curve right				Daylight
	(3) (9)	Curve left Unknown			(2)	Dark Port lighted
	(3)	Olikilowii				Dark, but lighted Dawn
			7		(5)	Dusk
		dway Profile	<u>ح</u>		(9)	Unknown
		Level Uphill Grade (>2%)				
	(3)	Downhill Grade (>2%)		37	Δtm	ospheric Conditions
		Hillcrest		07.	(1)	No adverse atmospheric related driving
	(5)	Sag			, ,	conditions
	(9)	Unknown			(2)	Rain
					(3)	Sleet Snow
32.	Road	dway Surface Type			(4) (5)	Fog
		Concrete				Rain and fog
	(2)	Bituminous (asphalt)			(7)	Sleet and fog
		Brick or Block			(8)	Other (e.g., smog, smoke, blowing sand or
	(4) (5)	Slag, gravel or stone Dirt			(9)	dust, etc.) (specify): Unknown
		Other (specify):			(0)	O I I I I I I I I I I I I I I I I I I I
	(9)	Unknown				

90-62/ 95 Neon

80I to FRP = 0,5m = 1,64 ft. f=0,6 v= 1/2) V. 64 Jo. 65 (32,2)

8 fps = 5,6 mph = 9,07 KPh

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1	Primary	Sampling	Unit	Number
١.	Primary	Sampling	Unit	number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 193E547C650

PEV15 Front Bumper Reinforcement Material

Model Year 9 5

Vehicle Make (specify): Ply mon 72

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material	me sal
PEV08 Hood Length	0 8 5 cm
PEV09 Hood Width-Forward Opening	<u>0 9 6</u> cm
PEV10 Hood Width-Midway	<u>/ 3 2</u> cm
PEV11 Hood Width-Rear Opening	- <u>/ 3 8</u> cm
PEV14 Front Bumper Cover Material	PLASTIE
PEV15 Front Bumper Reinforcement Material	STEEL


VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height	<u>039</u> cm
PEV17 Front Bumper-Top Height	<u>056</u> cm
PEV18 Forward Hood Opening	<u>062</u> cm
PEV19 Front Bumper Lead	0/2 cm

WRAP DISTANCES

PEV20 Gr	ound to Forward Hood Opening	069	cm ·
PEV21 Gr	ound to Front/Top Transition Point	088	cm
PEV22 Gr	ound to Rear Hood Opening	156	cm
PEV23 Gr	ound to Base of Windshield	166	cm
PEV24 Gr	ound to Top of Windshield	254	cm
PEV25 Gre	ound to Head Contact	000	cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 146cm

PEDESTRIAN SIDE CONTACT WORK SI	HEET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEASUREMENTS	
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENTS	
DEV/2E C to A Billow at Battom of Windshield	
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm

ORIGINAL SPECIFICATIONS

Wheelbase	104.0 inc	:hes x 2.54 =	2 6 4 cm
Overall Length	$\frac{1}{2}$ $\frac{7}{2}$ $\frac{1}{2}$ inc	hes x 2.54 =	<u>436</u> cm
Maximum Width *	067.5 inc	hes x 2.54 =	<u>/ 7 / cm</u>
Curb Weight <u>O</u>	2,4 6 0 pou	inds x .4536 =	1.1 1 5 kg
Average Track	057.4 inc	hes x 2.54 =	
Front Overhang	034.2 inc	hes x 2.54 =	0 87 cm
Rear Overh a ng	<u>0</u> <u>3</u> <u>3</u> . <u>8</u> inc	hes x 2.54 =	0 8 6 cm
Undeformed End Width	$\frac{1}{4}$ $\frac{4}{8}$ $\frac{6}{5}$ inc	hes x 2.54 =	3 7 6 cm
Engine Size: cyl./displ.	2000 cc	× .001 =	2.0 L
	/ 2 2 CID	x .0164 =	201

INJURY SOURCE

744 B pillar 745 C pillar 746 D pillar

756 Rear antenna

Back Components
760 Rear (back) bumper

761 Tailgate

Top Components
770 Hood surface

754 Right side glazing forward of B pillar755 Right side glazing rearward of B pillar

757 Rear fender or quarter panel 758 Other right side object (specify):

762 Hatchback, vertical surface 768 Other back component (specify):

769 Unknown back component

759 Unknown right side component

· ·
FRONT
700 Front bumper
701 Front lower valance/spoiler
702 Front grille
703 Hood edge and/or trim
704 Hood ornament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Closed)
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar
736 Left side back fender or quarter panel
737 Rear antenna
738 Other left side object
(specify):
739 Unknown left side component

Right Side Components 740 Front fender side surface 741 Front antenna

742 A1 pillar

743 A2 pillar

771	Hood surface reinforced by under hood
	component
772	Front fender top surface
773	Cowl area
774	Wiper blade & mountings
775	Windshield glazing
776	Front header
777	Roof surface
778	Backlight glazing
779	Rear header
780	Hatchback
781	Rear trunk lid
788	Other top component (specify):
789	Unknown top component

Wheels / tires
790 Left front wheel / tire
791 Right front wheel / tire
792 Left rear wheel / tire
793 Right rear wheel /tire
798 Other wheel / tire (specify):
799 Unknown wheel / tire
Undercarriage components
800 Front cross member
801 Steering assembly/Front suspension
802 Oil pan
803 Exhaust system pipe
804 Transmission
805 Drive shaft
806 Catalytic converter
807 Muffler
808 Floor pan
809 Fuel tank
810 Rear suspension
818 Other undercarriage component
(specify):
819 Unknown undercarriage component
Accessories
820 Air scoop, deflector
821 Cellular or CB radio antenna
822 Emergency lights or bar
823 Fog lights
824 Luggage, ski, or bike rack
825 Cargo (specify):

826 Spare tire 827 Spotlight

947 Ground

828 Other accessory (specify):

Other Object or Vehicle in Environment


948 Other object (specify):_

997 Noncontact injury source

999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

POINTS OF PEDESTRIAN CONTACT								
PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID Label	COMPONENT	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
XV	Lieflate Bracket	+104	+12	0	Legs	Smadse Scratches	① 2 3 9	/
	/				•		1 2 3 9	
	· **	ON 520	re of	Accide	~ァ)		1 2 3 9	
						-	1 2 3 9	
							1 2 3 9	
							1 2 3 9	
				·			1 2 3 9	
					-		1 2 3 9	
							1 2 3 9.	
							1 2 3 9	
							1 Z 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 ,3	

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
10	718	104	12		R no	1	1 2 3 9
7	118	104	12	1	Pnu	u	Q239
3	947				ond	Butt	1 2 3 9
4							1 2 3 9
5							1 2 3 9
6							1 2 3 5
7							1 2 3 9
8							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 B
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

4. Original Wheelbase Code to the nearest centimeter (999) Unknown 103.9 inches x 2.54 = 26 4 centimeters	11. Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 5 4.3 inches X 2.54 = / 3 8 centimeters
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown O 5 7 4 inches X 2.54 = / 4 4 centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian // (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown 7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	(9) Unknown 13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown O 3 3 4 inches × 2.54 = D 8 5 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown O 3 7 . 7 inches × 2.54 = O 9 6 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown O 5 1 . 9 inches × 2.54 = 1 3 2 centimeters	14. Front Bumper Cover Material
	0.15.3 inches x 2.54 = 0.39 centimeters

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown O J J. O inches X 2.54 = O 5 6 centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown OLS 3 inches X 2.54 = 166 centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
004.7 inches $\times 2.54 = 0.72$ centimeters Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown C 27. / inches X 2.54 = 0 6 9 centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29.	Centerline of Wheel	000	Side Lateral Measurements
	Code to the		
	nearest centimeter		35. Centerline to A-Pillar
	(000) No side contact (150) 150 centimeters or more		at Bottom of Windshield
	(999) Unknown	•	(000) No side contact
	, , , , , , , , , , , , , , , , , , , ,		Code to the
	inches X 2.54 =	centimeters	nearest centimeter
			(250) 250 centimeters or more (999) Unknown
00	- (-	\sim	(333) GIRHOWII
30.	Top of Tire	000	inches X 2.54 = centimeters
	Code to the nearest centimeter		
	(000) No side contact		
	(200) 200 centimeters or more	- Ca	36. Centerline to A-Pillar
	(999) Unknown		at Top of Windshield Code to the
			nearest centimeter
	inches X 2.54 =	_ centimeters	(000) No side contact
			(250) 250 centimeters or more
31.	Top of Wheel Well Opening	000	(999) Unknown
•	Code to the		
	nearest centimeter		inches X 2.54 = centimeter
	(000) No side contact		·
	(250) 250 centimeters or more		37. Centerline to Maximum Side
	(999) Unknown	-	View Mirror Protrusion
	inches X 2.54 =	centimeters	Code to the
		Centimeters	nearest centimeter
32.	Bottom of A-Pillar at Windshield	000	(000) No side contact
	Code to the		(300) 300 centimeters or more (999) Unknown
	nearest centimeter		(333) GIRIOWII
	(000) No side contact (250) 250 centimeters or more		inches X 2.54 = centimeter
	(999) Unknown		
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Side Wrap Distance Measurements
	inches X 2.54 =	centimeters	
	•		_
33	Top of A-Pillar at Windshield	000	38. Ground to Side/Top Transition
55.	Code to the		Code to the
	nearest centimeter		nearest centimeter (000) No side contact
	(000) No side contact		(400) 400 centimeters or more
	(300) 300 centimeters or more		(999) Unknown
	(999) Unknown		
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
		Continuctors	
			39. Ground to Hood Edge
34.	•	000	Code to the
	Code to the		nearest centimeter
	nearest centimeter (000) No side contact		(000) No side contact
	(300) 300 centimeters or more		(500) 500 centimeters or more
	(999) Unknown		(999) Unknown
			inches X 2.54 = centimeters
	inches X 2.54 =	centimeters	

40.	Groun	d to Centerline of Hood Code to the	000	
	(000)	nearest centimeter No side contact		
	(700)	700 centimeters or more Unknown		•
		inches X 2.54 =	centimeters	
41.	Groun	d to Head Contact	000	
		Code to the nearest centimeter	<u> </u>	
		No side contact 800 centimeters or more		
	(998)	No head contact Unknown		
	, ,	inches X 2.54 =	centimeters	
		·		
	•			
				ver
		•		
				•
			1	